

**SAJ-91 Checklist/Data Requirements**

**BULKHEADS AND BACKFILL IN RESIDENTIAL CANALS:** Construction, repair or maintenance of *seawalls* (bulkheads) and associated backfill in residential canals.

**PDCs:**

No mangroves or submerged aquatic vegetation will be impacted.  
Removal of mangroves is prohibited under Permit SAJ 91. **Removal of mangroves prior to application or after permit issuance will invalidate the SAJ 91 permit and may subject you to federal enforcement actions.**

The seawall does not exceed 300 feet in length or extend any farther waterward than 18 inches from the existing seawall or Mean High Water Line (MHWL).

The project is not located on or contiguous to ocean beaches

Backfill is from an upland source and the amount of backfill does not exceed one (1) cubic yard per running foot below the plane of the MHWL. The backfill must be from upland sources and consist of suitable clean fill material free of toxic pollutants.

No riprap will be installed

Riprap will be installed:

No new riprap will be placed at the toe of the existing or replacement seawall unless the toe of the seawall is deeper than 3 feet at Mean Lower Low Water (MLLW).

Replacement riprap is added within the same footprint of existing riprap.

The Permittee will utilize the “Standard Manatee Conditions for In-Water Work, 2011” and “Sea Turtle and Smalltooth Sawfish Construction Conditions”.

Project does not propose the installation of any type of piling greater than 24 inches in diameter, or installation of any size of metal piling or metal sheet piling by impact hammer.

Noise Exclusion Area:

Project is not located in Noise Exclusion Area (Appendix 2 of SAJ-91)

Project is in the Noise Exclusion Area but does not propose the installation of any type or size of piling or sheet piling by impact hammer during the period March 1 through June 30 in the noise restriction

Permittee shall use turbidity barriers for all in-water work.

Latitude \_\_\_\_\_

Longitude \_\_\_\_\_

Total In Water Impact \_\_\_\_\_

Shallow In Water Impact \_\_\_\_\_

Overwater Area \_\_\_\_\_

Impact Type \_\_\_\_\_

Type of Seawall: N/C, Repair and/or Replace \_\_\_\_\_

Water Type: Freshwater, Saltwater, Spreader or River \_\_\_\_\_

You are cautioned that commencement of the proposed work prior to Federal (Corps of Engineers) authorization would constitute a violation of Federal laws and subject you to possible enforcement action. Falsifying information on this checklist and/or the application would constitute a violation of Federal laws and subject you to possible enforcement action.

I attest all information provided in this checklist is accurate and true.

\_\_\_\_\_  
SIGNATURE

---

**OFFICE USE ONLY**

---

- All PDC Met: Yes or No \_\_\_\_\_
- Coding: Green, Yellow or Red \_\_\_\_\_
- Excluded Waterway Name: Freshwater or Lake \_\_\_\_\_
- Log # \_\_\_\_\_  COE Number \_\_\_\_\_

Plans Examiners Initial: \_\_\_\_\_

Date Entered: \_\_\_\_\_

Form Rev. 4/27/2016