



Commercial Permit Guidelines

Pool Heater Replace Gas

CPC, Plumbing Contractor, Mechanical Contractor or Owner/Builder may apply for permit

- Trade application.
- NOC required if value is \$2500 or greater
- Owner Builder Affidavit (if homeowner)
- Two (2) copies site plan showing the following:
 - Location of existing LP tank
 - Location of Pool Heater
 - Existing building or structures
 - Distance to property lines, PUE, and structures
 - Whether tank is above or below ground
- Two (2) copies of LP plan details:
 - Location of piping, gas connections & size of line piping
 - All openings to structure – distance from openings (doors/windows)
 - Distance from ignition sources
 - Appliance legend with BTU's and corresponding labels that match drawings
 - Include regulator manufacturer and model number
 - Indicate depth of pipe and tracer wire if necessary

ALL INFORMATION MUST BE CLEARLY LEGIBLE.

*****NOTE:** This is not a complete list. Depending on specific job, additional details such as isometrics, pad size, remote venting. . . etc. may be required. Simply stating "Compliance with NFPA 54 & 58 and local/state codes" is not adequate.

Description:

- Replace Pool Heater - Gas

Contact Information:

Subcontractor: Gas contractor as GAS CONTR

Route to: OFFICE USE ONLY

Building	Zoning
Fire	Species (If Owl, Eagle or Gopher Tortoise)

Processing: OFFICE USE ONLY

- Type: Pool Heater Replace Gas



239-574-0546

- Subtype: Residential

Inspections: (varies depending on scope of work)

- Notice of Commencement (NOC) 10
- Gas Final (611) 20

Fees:

- Gas Pool Heater \$ 267.00
- Surcharge YES

Expiration:

- Six (6) months

NOTES:

Liquid propane tank (LP tank) shall not be installed within the six foot (6') utility easement.

For an above ground installation; liquid propane tank (LP tank) shall not be located in the front property setbacks.